

# SINGLEPHASE INDUSTRIAL VACUUMS



# PERFORMANCE ON VACUUM SOLUTIONS SINCE 1972








**POWER**

**RELIABILITY**

**SAFETY**



# POWER & RELIABILITY





# ADVANTAGES


MAXIMUM POWER 3,3 HP

BY-PASS COOLING SYSTEM

INDEPENDENT SWITCHES

Suitable for every need, the by-pass motors installed by Depureco are powerful and reliable. Thanks to their independent cooling system they can work in the most demanding conditions. Dust, swarf, oil and every type of liquid are quickly vacuumed, even with several meters long hose. The three-motors version is the most powerful in its category and can reach outstanding performance.

UP TO 3 MOTORS TO REACH THE  
UTMOST PERFORMANCE





# THE RIGHT FILTER FOR EVERY CIRCU

## POCKET FILTER



### STANDARD M CLASS FILTER

FINE DUST, GRANULES, SOLID AND DRY SWarf



### M CLASS ANTISTATIC FILTER

FINE DUST, GRANULES, SWarf AND SOLID MATERIALS THAT TEND TO BECOME ELECTROSTATICALLY CHARGED. STANDARD ON THE MODELS IN THE ATEX RANGE.



### NOMEX FILTER

DUST AND SOLID MATERIALS WITH TEMPERATURES UP TO 480°F.



### M CLASS TEFLON FILTER

FINE DUST, GRANULES, WET OR DAMP SWarf AND SOLID MATERIALS. ESPECIALLY SUITABLE FOR STICKY DUST.



### M CLASS PTFE FILTER

VERY FINE AND STICKY DUST, HYGROSCOPIC AND WET MATERIALS. FOOD CERTIFIED



### M CLASS ANTISTATIC PTFE FILTER

HYGROSCOPIC MATERIALS THAT TEND TO BECOME ELECTROSTATICALLY CHARGED. STANDARD ON MODELS IN THE ATEX RANGE. FOOD CERTIFIED.

## FILTER FOR THE JETCLEAN SYSTEM



M CLASS - FILTRATION EFFICIENCY 1 $\mu$  (EN60335269)

FILTER SURFACE UP TO 5425 in<sup>2</sup>

JETCLEAN® FILTER CLEANING SYSTEM

ANTISTATIC POLYESTER ALUMINATED FILTER

ESPECIALLY SUITED FOR DRY, FINE AND VERY FINE DUST




# CUMSTANCE



CLASS H14 EN - 1822  
EFFICIENCY 99,995% VERY  
FINE, DANGEROUS DUST  
WITH GRANULOMETRY  $<1\mu$

## ABSOLUTE FILTER



THE MATERIAL ENTERS THE CHAMBER FROM THE SUCTION INLET (1) AND THANKS TO THE CYCLONE (2) IT LOSES SPEED, SETTLING INSIDE THE VACUUM'S BIN (3). THIS WAY 90% OF THE MATERIAL IS CLEARED, GRANTING A LONGER LIFE FOR THE FILTER.

## THE CYCLONE



## STANDARD M CLASS FILTER

THE M CLASS FILTER HAS A FILTRATION EFFICIENCY OF  $1\mu$ , ALLOWING TO VACUUM EVEN FINER DUST IN COMPLETE SAFETY



# THE TRICK IS CLEANING THE FILTER



## JETCLEAN® SYSTEM

IT CLEANS THE FILTER WITHOUT STOPPING THE VACUUMING


INCREASED CLEANING EFFICIENCY UP TO 30% HIGHER

IDEAL FOR FINE AND DIFFICULT DUST






R!



SIMPLE AND EFFICIENT



## MANUAL FILTER SHAKER

IDEAL FOR DRY AND HUMID DUST

EXCELLENT TO REMOVE SWARF AND SOLID MATERIALS FROM THE FILTER

PRACTICAL AND CHEAP SYSTEM





# VACUUM CLEANERS WITH JETCLEAN

COMPACT

DURABLE

SAFE

- Semi-Automatic filter cleaning system
- All the filters are certified M Class
- Up to 3 motors
- Powerful, Compact and Durable
- Ideal for fine and dry dust
- Practical Detachable Bin
- Up To 26 gal Capacity
- Available With Longopac®



	XM 20 JETCLEAN		XM 35 JETCLEAN		XM 35 JETCLEAN LP	
MOTORS		2		2		2
POWER	HP	2,7	HP	2,7	HP	2,7
VOLTAGE   FREQUENCY	V Hz	120 / 60	V Hz	120 / 60	V Hz	120 / 60
MAXIMUM VACUUM	inH2O	94	inH2O	94	inH2O	94
MAXIMUM AIR FLOW	CFM	230	CFM	230	CFM	230
INLET	Ø in	1.97	Ø in	1.97	Ø in	1.97
FILTER SURFACE	in²	5425.01	in²	5425.01	in²	5425.01
CAPACITY	gal	6	gal	12		LONGOPAC®



CONICAL FILTER  
CARTRIDGE

WITH STANDARD M CLASS FILTER  
AND SEMI-AUTOMATIC JETCLEAN®  
FILTER CLEANING SYSTEM



ABSOLUTE FILTER

AVAILABLE FOR THE  
WHOLE RANGE



# N<sup>®</sup> SYSTEM



**M 65 JETCLEAN**



**M 100 JETCLEAN LP**

	M 65 JETCLEAN		M 100 JETCLEAN LP	
	3		3	
HP	3.3	HP	3.3	
V Hz	120/ 60	V Hz	120/60	
inH2O	98	inH2O	98	
CFM	336	CFM	336	
Ø in	1.97	Ø in	1.97	
in <sup>2</sup>	5425.01	in <sup>2</sup>	5425.01	
gal	17/26		LONGOPAC <sup>®</sup>	



**SLIDING  
DAMPER**  
AVAILABLE FOR  
ALL MODELS



**UP TO THREE  
YEARS WARRANTY**



# VACUUM CLEANERS WITH POCKET F

POWERFUL

VERSATILE

RELIABLE

- Manual Filter Shaker
- All the Filters are certified M Class
- Up to 3 motors
- Sturdy, Safe, suitable for every need
- Ideal for Dust, Granules and Swarf
- Practical detachable Bin
- Up To 26 gal Capacity
- Available With Longopac®



MINIBULL		
MOTORS		2
POWER	HP	2,7
VOLTAGE   FREQUENCY	V Hz	120 / 60
MAXIMUM VACUUM	inH2O	94
MAXIMUM AIR FLOW	CFM	230
INLET	Ø in	2.76
FILTER SURFACE	in²	2325
CAPACITY	gal	12



STANDARD M CLASS POCKET  
FILTER SUITABLE FOR EVERY NEED

STANDARD  
M CLASS  
ANTISTATIC

NOMEX

M CLASS  
ANTISTATIC

PTFE

PTFE  
ANTISTATIC



ABSOLUTE  
FILTER  
AVAILABLE FOR  
THE WHOLE  
RANGE



# FILTER



M 65 / 100

	M 65 / 100	
	3	
HP	3.3	
V Hz	120 / 60	
inH2O	98	
CFM	336	
Ø in	2,76	
in <sup>2</sup>	3720.01	
gal	17 / 26	



## SP SYSTEM

AUTOMATIC REVERSE AIR  
JET FILTER CLEANING.  
AVAILABLE ON DEMAND.



UP TO THREE  
YEARS WARRANTY



# WD VACUUM CLEANER FOR LIQUIDS

		WD 132	WD 132 P	WD 133
MOTORS		2	2	3
POWER	HP	2,7	2,7	3.3
VOLTAGE   FREQUENCY	V Hz	120/ 60	120/ 60	120/ 60
MAXIMUM VACUUM	inH2O	94	94	98
MAXIMUM AIR FLOW	CFM	230	230	336
INLET	Ø in	2,76	2,76	2,76
CAPACITY	gal	34	34	34
DISCHARGE SYSTEM		discharge by gravity	automatic discharge by pump	discharge by gravity

FLOATING SYSTEM



STANDARD FILTER FOR LIQUIDS



STANDARD FILTER FOR DUST



# BATTERY POWERED VACUUM CLEANER

		BULL 24	FOX 24
MOTORS		3	3
POWER	HP	2	2
VOLTAGE   FREQUENCY	V	24	24
MAXIMUM VACUUM	inH2O	94	94
MAXIMUM AIR FLOW	CFM	206	206
INLET	Ø in	3,15	3,15
BATTERY	N°	2	4
UPTIME	h	1	2





# ACCESSORIES

CONVENIENT SOLUTIONS TO  
HELP YOU WITH YOUR WORK



FIXED  
VACUUMING TOOL



BIN EMPTYING KIT



LONGOPAC®  
SEPARATOR



WET & DRY  
SEPARATOR



TILTABLE 153 gal  
SEPARATOR

## THE RIGHT ACCESSORY FOR EVERY NEED



DOUBLE BEND TUBE  
FOR FLOOR BRUSH



FLOOR BRUSH  
WITH BRISTLES



FLOOR SQUEEGEE  
WITH RUBBER STRIPS



SCRAPING PIPE



PIPE WITH HANDLE



ANTISTATIC RUBBER  
CONIC SECTION



OIL PROOF  
CONIC SECTION



SILICONE CONIC  
SECTION



ANTISTATIC  
SWEEPER  
NOZZLE



ANTISTATIC BRUSH  
WITH BRASS  
BRISTLES



ANTISTATIC RUBBER  
BRUSH WITH BRASS  
BRISTLES



PVC ROUND BRUSH



ANTISTATIC BENT  
RUBBER CONE



PIPE CLEANING  
BRUSH



ANTISTATIC FLAT  
PIPE

## FLEXIBLE HOSES FOR ALL MATERIALS



BLACK EVAFLEX HOSE



BLACK EVAFLEX  
ELECTROCONDUCTIVE HOSE



POLYURETHANE  
FLEXIBLE HOSE



REINFORCED ABRASIVE  
PROOF POLYURETHANE  
FLEXIBLE HOSE



ANTISTATIC  
POLYURETHANE FLEXIBLE  
HOSE





## DEPURECO INDUSTRIAL VACUUMS USA

19121 MARKETPLACE AVENUE, BUILDING 1, SUITE 165

PLUM CREEK BUSINESS PARK - KYLE, TEXAS 78640

+1 737 70 44 347

INFO@DEPURECOUSA.COM - WWW.DEPURECOUSA.COM

