


# RAM OIL 280 MP





**Depureco Industrial Vacuums USA**

19121 Marketplace Avenue, Building 1, Suite 165  
Plum Creek Business Park • Kyle • TX 78640


[www.depurecousa.com](http://www.depurecousa.com)  
[info@depurecousa.com](mailto:info@depurecousa.com)

 Power: 3.3 HP

 Liquid capacity: 74 gal  
Solid capacity: 11 gal

 Suction time: 74 gal/min  
Dumping time: 74 gal/min

3 By-Pass motors  
110V/60 Hz  
Max Airflow = 336 CFM  
Max Depression = 98 inH2O  
Suction speed 74 gal/min



Oil proof cartridge for oil mist



Handy accessory basket

**PUMP:** External discharging pump  
Speed discharge system 74 gal/min


Pivoting  $\varnothing 7.7$  in  
sturdy wheels

360° sturdy rotating suction Inlet  $\varnothing 2$  in

Metal Swarf collecting grid.  
11 gal capacity  
PPL Filter (150  $\mu$ )





74 gal capacity




*- Optional -*  
Stainless steel AISI 316  
inspection door

## HIGHLY TRANSPORTABLE



 Weight: 154 lbs

## COMPACT AND EASY TO HANDLE



# SPEC SHEET

	Units	RAM OIL 280 MP
Motors   Type		3 - By-Pass
Power	HP	3.3
Voltage   Frequency	V/Hz	110/60
Maximum vacuum	inH2O	98
Maximum air flow	CFM	336
Inlet	Ø in	2
Noise level - (EN ISO 3744)	dB(A)	72
Liquid capacity	gal	74
Solid capacity	gal	11
Dimensions	in	27.56 x 57.09
Height	In	55.12
Weight	lb	333
Suction time	gal/min	74
Dumping time	gal/min	74
Discharge system		
Type		External pump
Power	HP	1
Voltage/Frequency	V/Hz	110/60

## INCLUDED



**PPL disposal filter 150**  
µ efficiency



**TNT filter**



**Oil & swarf KIT**

## ACCESSORIES



**Oil & swarf KIT PRO**