

M 100 OIL



Depureco Industrial Vacuums USA

19121 Marketplace Avenue, Building 1, Suite 165
Plum Creek Business Park • Kyle • TX 78640

www.depurecousa.com
info@depurecousa.com




Power: 3.3 HP




Liquid capacity: 26 gal
Solid capacity: 13 gal




Sucking time: 26/26 gal/sec




P12475: Oil proof cartridge



3 By-Pass motors



P09679: PPL Filter (150 µ)
+ Metal separation basket
+ Floating system to automatically stop suction




Tangential inlet with cyclone




Manual discharge by gravity




P12355: Oil Kit PRO Ø50



HIGHLY TRANSPORTABLE



27.56 in



17.72 in

55.12 in

 **Weight: 198 lbs**

FORCLIF BIN LIFTING



SPEC SHEET

	Units	M 100 OIL
Motors Type		3 - By-Pass
Power	HP	3.3
Voltage Frequency	V Hz	120/60
Maximum vacuum	inH2O	98
Maximum air flow	CFM	336
Inlet	Ø in	2
Noise level - (EN ISO 3744)	dB(A)	72
Liquid capacity	gal	26
Solid capacity	gal	13
Dimensions	in	27.56 x 17.72
Hight	In	55.12
Weight	lb	198
Suction time	gal/sec	26 /26
Oil filter		Included
Filtration efficiency	µ	150
Media		Nylon
Discharge Type		By gravity

INCLUDED




PPL disposal filter 150 µ efficiency

ACCESSORIES



**Oil & swarf KIT D1,96
P12352**



**Oil & swarf KIT PRO
P12355**