

M 70 OIL



Depureco Industrial Vacuums USA

19121 Marketplace Avenue, Building 1, Suite 165
Plum Creek Business Park • Kyle • TX 78640

www.depurecousa.com
info@depurecousa.com



Power: 2.7 HP



Liquid capacity: 18 gal
Solid capacity: 10 gal



Suction time: 18 gal/18 sec
Discharge time: 18 gal/20 sec



2 By-Pass motors




P12355: Oil Kit PRO Ø2



P09679: PPL Filter (150 μ)
+ Metal separation basket



Manual discharge
by gravity




PUMP: Immersion
discharge pump




- Optional

HIGHLY TRANSPORTABLE



28 in



18 in

57 in



Weight: 198 lbs

FORKLIFT BIN LIFTING



SPEC SHEET

	Units	M 100 OIL
Motors Type		2 - By-Pass
Power	HP	2,7
Voltage Frequency	V Hz	120/60
Maximum vacuum	inH2O	94
Maximum air flow	CFM	230
Inlet	Ø in	2
Noise level - (EN ISO 3744)	dB(A)	72
Liquid capacity	gal	18
Solid capacity	gal	10
Dimensions	in	28 x 18
Hight	In	57
Weight	lb	198
Suction time	gal/sec	18/18
Oil filter		Included
Filtration efficiency	µ	150
Media		Nylon
Discharge Type		By gravity

OPTIONALS




PPL disposal filter 150 µ efficiency




PUMP: Immersion discharge pump
Discharge time:
18 gal/20 sec

ACCESSORIES



Oil & swarf KIT D1,96
P12352



Oil & swarf KIT PRO
P12355