



WINIBULL

**Depureco Industrial Vacuums USA**

19121 Marketplace Avenue, Building 1, Suite 165  
Plum Creek Business Park • Kyle • TX 78640

[www.depurecousa.com](http://www.depurecousa.com)  
[info@depurecousa.com](mailto:info@depurecousa.com)

2,7 HP  
**POWER**

2,500 in<sup>2</sup>  
**FILTER**

12 gal  
**CAPACITY**



**2 POWERFUL BY-PASS MOTORS**  
120V  
Max Airflow= 230 CFM  
Max Depression= 94 inH2O



**M CLASS**  
Stellar filter



**MTF OPTIONAL**  
For difficult and sticky dust.




3,800 in<sup>2</sup>



**OPTIONAL H 14**  
**HEPA FILTER**



4,400 in<sup>2</sup>



**MANUAL SHAKER**  
**CLEANING SYSTEM**



Smart handle for shaking the filter aggressively to release dust.



12 gal

**DETACHABLE BIN**  
**ON WHEELS**

**INLET WITH**  
**DEFLECTOR**




# SPEC SHEET

	Units	ECOBULL
Motors   Type		X2 By-Pass
Power	HP	2.7
Voltage   Frequency	V/Hz	120/60
Maximum vacuum	inH2O	94
Maximum air flow	CFM	230
Inlet	Ø in	2.75
Noise level - (EN ISO 3744)	dB(A)	72
Bin capacity	gal	12
Dimensions	in	21.65 x 24.41
Height	in	48.82
Weight	lb	99
<b>Primary filter</b>		
Type		Star filter
Surface area   Diameter (Class EN 60335-2-69)	in <sup>2</sup>   in	2,500
Media		M Class
Filter cleaning		Polyester
		Manual Shaker
<b>Absolute filter</b>		
Surface area	in <sup>2</sup>	4,400
(Class - EN 1822)		H14
Media		Fiberglass

## OPTIONAL FILTERS



**BFL**  
M class filter 409028,6 ft<sup>2</sup>



**ANT M**  
Antistatic filter



**MTF**  
Teflon filter



**NOMEX**  
482° F Resistant filter



**PTFE**  
PTFE filter 409028,6 ft<sup>2</sup>

## OPTIONAL



**AB**  
Accessory basket



**GRD**  
Grounding



**BX**  
AISI 304 stainless steel bin



**GX**  
AISI 304 BIN AND CHAMBER



**FLT**  
Floating device for liquids



**FIXED FLOOR BRUSH**

## ACCESSORIES



**Iron reducer**  
Ø 2.75 / 2 in



**Wet & Dry Kit**  
Ø 2 in



**Starter Kit**  
Ø 2 in