



# XM 20 OVEN

**Depureco Industrial Vacuums USA**

19121 Marketplace Avenue, Building 1, Suite 165  
Plum Creek Business Park • Kyle • TX 78640

[www.depurecousa.com](http://www.depurecousa.com)  
[info@depurecousa.com](mailto:info@depurecousa.com)

2,7 HP  
**POWER**

2,325 in<sup>2</sup>  
**FILTER**

6 gal Bin  
**CAPACITY**




**2 POWERFUL BY-PASS MOTORS**  
120V  
Max Airflow= 230 CFM  
Max Depression= 94 inH2O



**NOMEX FILTER**  
Safe suction of high temperature residues



2,325 in<sup>2</sup>



**MANUAL SHAKER CLEANING SYSTEM**

Smart handle for shaking the filter aggressively to release dust.




**ACCESSORY KIT**  
For high temperatures



**6 gal**

**DETACHABLE BIN ON WHEELS**



**INLET WITH DEFLECTOR**



# SPEC SHEET

	Units	XM 20
Motors   Type		2 - By-Pass
Power	HP	2.7
Voltage   Frequency	V Hz	120/60
Maximum vacuum	inH2O	94
Maximum air flow	CFM	230
Inlet	Ø in	2
Noise level - (EN ISO 3744)	dB(A)	72
Bin capacity	gal	6
Dimensions	in	20.3 X 21.5
Height	in	39.1
Weight	lb	84
<b>Primary filter</b>		
Type		Star filter
Surface area   Diameter (Class EN 60335-2-69)	in <sup>2</sup>   in	2,325
Media		M Class
Filter cleaning		Nomex
		Manual Shaker
<b>Absolute filter</b>		
Surface area	in <sup>2</sup>	3,500
<b>(Class - EN 1822)</b>		H14
Media		Fiberglass

# OPTIONAL FILTERS



**H14 ABSOLUTE FILTER**  
Class EN 1822

# OPTIONAL



**GX**  
AISI 304 stainless steel bin  
and chamber



**GRD**  
Grounding



**BX**  
AISI 304 stainless steel bin


# ACCESSORIES



**Oven cleaning kit**  
(included)



**Dry Kit**  
Ø 2 in



**Starter Kit**  
Ø 2 in