



AS
300
400

Depureco Industrial Vacuums USA

19121 Marketplace Avenue, Building 1, Suite 165
Plum Creek Business Park • Kyle • TX 78640

www.depurecousa.com
info@depurecousa.com

4.6 | 6.5 HP
POWER

Reusable bag
FILTER

57 gal Bin
CAPACITY



INSPECTION WINDOW



REUSABLE FILTER BAG

32 gal CAPACITY




SUCTION INLET
Ømm 70



POWERFUL SIDE CHANNEL BLOWER
480V/60 Hz

X2 STURDY PIVOTING WHEELS

DIMENSIONS



Weight: 220 lbs



OEM seamless integration

SPEC SHEET

		Units	AS 300	AS 400
Motors Type			Side channel blower	Side channel blower
Power	HP		4,6 3~	6,5 3~
Voltage Frequency	V Hz		480/60	480/60
Maximum vacuum	inH2O		80	80
Maximum air flow	CFM		294	300
Inlet	Ø mm		70	70
Noise level - (EN ISO 3744)	dB(A)		72	72
Bin capacity	gal		57	57
Dimensions	in		26.8 X 47.2	26.8 X 47.2
Height	in		53.9	53.9
Weight	lb		220	220
Primary filter				
Type			Resuable bag	Reusable bag

OPTIONAL



BX
AISI 304 BIN



TX
AISI 304 COMPLETE COSTRUCTION



GRD
All grounded components