

BL 20 JC



Depureco Industrial Vacuums USA


19121 Marketplace Avenue, Building 1, Suite 165
Plum Creek Business Park • Kyle • TX 78640

www.depurecousa.com
info@depurecousa.com

1.5 HP
POWER

5,270 in²
FILTER

5 gal
CAPACITY



Head with double stage filtration system.



BRUSHLESS MOTOR
120 V



**M CLASS
ANTISTATIC
CARTRIDGE FILTER**



**[OPTIONAL]
FILTER CARTRIDGE
HEPA H14**



**JET CLEAN
CLEANING SYSTEM**

Clean the filter with a powerful jet of air without stopping the unit.



PRESSURE GAUGE

Dirty filter indicator




**ALL COMPONENTS
ARE GROUNDED**

 **STAINLESS STEEL BIN
AISI 304**

5 gal

HIGHLY TRANSPORTABLE



Weight: 378 lbs

DETACHABLE BIN



NFPA 660 Compliance



ATEX Marking:
II 3 D Ex htc III B T140°C Dc

SPEC SHEET

	Units	BL 20 JC ATEX Z22
Suction type		Brushless motor
Atex Marking		II 3D Ex htc IIIB T140°C Dc
Power	HP	1,5
Voltage Frequency	V Hz	120 50
Maximum vacuum	inH2O	92
Maximum air flow	CFM	129
Inlet	Ø in	2
Noise level - (EN ISO 3744)	dB(A)	72
Bin capacity	gal	5
Dimensions	in	20.32x21.46
Height	in	41.33
Weight	lb	378
Primary filter		
Type		Cartridge
Surface area	in² in	5,270
(Class EN 60335-2-69)		M Class
Media		Antistatic polyester
Filter cleaning		Jet Clean
Absolute filter - Optional		
(Class - EN 1822)	in²	H14
Media		Fiberglass

ACCESSORIES



ATEX STARTER KIT Ø 2 in



ATEX KIT PRO Ø 2 in

OPTIONAL



CYCLONIC SEPARATOR



Wet & Dry fixed brush floor tool