



BL 45 JC

Depureco Industrial Vacuums USA

19121 Marketplace Avenue, Building 1, Suite 165
Plum Creek Business Park • Kyle • TX 78640

www.depurecousa.com
info@depurecousa.com

2 HP
POWER

6200 in³
FILTER

11 gal
CAPACITY

Head with double stage filtration system.




**JET-CLEAN
CLEANING SYSTEM**

Clean the filter with a powerful jet of air without stopping the unit.




**M CLASS
ANTISTATIC
CARTRIDGE FILTER**



BRUSHLESS MOTOR
120 V

PRESSURE GAUGE

Dirty filter indicator.



**[OPTIONAL]
FILTER CARTRIDGE
HEPA H14**



**INLET
WITH DEFLECTOR Ø 2 in**





**ALL COMPONENTS
ARE GROUNDED**

**STAINLESS STEEL BIN
AISI 304**

11gal

HIGHLY TRANSPORTABLE



51.29 in

Weight: 99 lbs

DETACHABLE BIN



NFPA 652 Compliance



ATEX Marking:
II 3 D Ex htc III B T140°C Dc

SPEC SHEET

	Units	BL 45 ATEX Z22
Suction type		Brushless motor
Atex Marking		II 3 D Ex htc III B T284°F Dc
Power	HP	2 1 ~
Voltage Frequency	V/Hz	120 60
Maximum vacuum	inH2O	92
Maximum air flow	CFM	129
Inlet	Ø in	2.75
Noise level - (EN ISO 3744)	dB(A)	72
Bin capacity	gal	11
Dimensions	in	21.46 x 20.32
Height	in	51.29
Weight	lb	99
Primary filter		
Type		Cartridge
Surface area	in² in	6200
(Class EN 60335-2-69)		M Class
Media		Antistatic polyester
Filter cleaning		Jet-Clean
Absolute filter - Optional		
(Class - EN 1822)	in²	H14
Media		Fiberglass
In suction		Opt H14
In suction		E10
Engine air inlet cooling	in²	E10
Outgoing engine air cooling		E10

ACCESSORIES



ATEX STARTER KIT Ø 1.75 in



ATEX KIT PRO Ø 1.75 in

OPTIONAL



CYCLONIC SEPARATOR



Wet & Dry fixed brush floor tool