



***SUMP VACUUM
FOR OIL AND CHIPS***

RAM 200 MP


Best-in-class capacity and compact design



TECHNICAL DATA

	Units	RAM OIL 200 MP
Motors Type		3 - By-Pass
Power	HP	3.3 1~
Voltage Frequency	V/Hz	120 60
Vacuum	inH2O	98
Air flow	CFM	336
Inlet	Ø in	2
Noise level - (EN ISO 3744)	dB(A)	72
Liquid capacity	gal	53
Solid capacity	gal	9.25
Dimensions	in	39,96 X 24,37
Height	in	65,75
Weight	Kg	120
Oil filter		Included

DIMENSIONS



OPTIONALS



TNT disposal filter 100 μ
efficiency

AVAILABLE ACCESSORIES



Oil & Swarf KIT P12352

- 2 inches diameter for hose and kit components
- 10 ft hose lenght



Oil & Swarf KIT PRO P12355

- 2 inches diameter for hose and kit components
- 10 ft hose lenght



Scraping pipe with air fluidification P14398

WHY USE A DEPURECO SUMP VACUUM?

Industrial manufacturing processes that involve metal working produce residual swarf mixed with cutting oil or lubricants that are commonly collected into tanks. Using an industrial vacuum for separating cutting oil and swarf is a practical and efficient solution for managing this material, allowing easy separation and collection for recycling or safe disposal. This helps to maintain a clean and safe work environment, improve machinery efficiency, and reduce the overall environmental impact of industrial manufacturing processes.




Tramp oils

Clean lubricants

Mud and swarf


BENEFITS



OIL & CHIPS SUCTION



Recovery and reuse of clean lubricants, coolants and cutting oil



CHIPS SEPARATION



Saving on oil purchase and chips disposal costs



CLEAN OIL DISCHARGE



Maintenance time reduction and avoid downtimes

Depureco Industrial Vacuums USA

19121 Marketplace Avenue, Building 1, Suite 165
Plum Creek Business Park • Kyle • TX 78640

www.depurecousa.com
info@depurecousa.com